

## < Vector 샘플 코드 >

The following code example is taken from the book  
The C++ Standard Library - A Tutorial and Reference  
by Nicolai M. Josuttis, Addison-Wesley, 1999  
© Copyright Nicolai M. Josuttis 1999

```
#include <iostream>
#include <vector>
#include <string>
#include <algorithm>
#include <iterator>
using namespace std;

int main()
{
    // create empty vector for strings
    vector<string> sentence;

    // reserve memory for five elements to avoid reallocation
    sentence.reserve(5);

    // append some elements
    sentence.push_back("Hello,");
    sentence.push_back("how");
    sentence.push_back("are");
    sentence.push_back("you");
    sentence.push_back("?"});

    // print elements separated with spaces
    copy (sentence.begin(), sentence.end(),
          ostream_iterator<string>(cout, " "));
    cout << endl;

    // print ``technical data``
    cout << " max_size(): " << sentence.max_size() << endl;
    cout << " size():      " << sentence.size()      << endl;
    cout << " capacity(): " << sentence.capacity() << endl;

    // swap second and fourth element
```

```
swap (sentence[1], sentence[3]);

// insert element "always" before element "?"
sentence.insert (find(sentence.begin(),sentence.end(),"?"),
                 "always");

// assign "!" to the last element
sentence.back() = "!";

// print elements separated with spaces
copy (sentence.begin(), sentence.end(),
       ostream_iterator<string>(cout, " "));
cout << endl;

// print ``technical data'' again
cout << " max_size(): " << sentence.max_size() << endl;
cout << " size():      " << sentence.size()      << endl;
cout << " capacity(): " << sentence.capacity() << endl;
}
```